

bimobil

Travel vehicle
LB 355

on VW T5



Ein Reisemobil der
bimobil – von Liebe GmbH
auf Basis der Produkte von:



Nutzfahrzeuge

The travel vehicle LB 355



1 The new bimobil LB 355 features a highly popular, proven layout with longitudinal berths in the overhead-bay, bicycle compartment in the rear, a comfortable rear settee, a sanitary cabin with separate shower compartment and loads of stowage space - also thanks to double floor compartment.

Despite its voluminous interior this travel vehicle is just 6 m long for good agility. Our cabin LB355 is mounted on the Volkswagen Transporter T5 with an Alko-built rear low-bed chassis with widened rear axle tread and lowered centre of gravity to maximize stability. Owing to the relatively low cab, the overhead-bay boasts unsurpassed headroom compared with other base vehicles of identical vehicle height.

The VW T5 is available with several high-performance engines, offers a cab with all necessary features, and is also rather quiet. Our LB355 can be equipped with our exclusive quick-mount system on demand.

1 Two berths of 80 x 200 cm and 80 x 198 cm make for two king-sized beds in the overhead-bay. These berths are connected by a wide centre cushion for added space. Thanks to the longitudinal configuration these berths allow you to get up without disturbing the other sleeper. Headroom of 80 cm above the mattress provides a feeling of spaciousness and allows upright sitting for average sized persons. An added bonus: the Froli bed spring system for undisturbed, comfortable sleep.

The access area can be closed off with a cushion. A removable ladder with wide steps ensures a safe climb to or from the overhead bay.

2 Under the berth extension you find a big wardrobe providing a hanging space of 130 cm (57.09 in). Thanks to its enormous depth of 75 cm (31.5 in) this wardrobe enabled the installation of additional stowage shelves on the rear wall for objects you don't need daily.



Distinction is our Trademark!

1

3 Two steps lead from the entrance to the living area. The front step functions also as storage bin. An under-floor stowage compartment with a height of 26 cm (11.02 in) extends from the entrance area to the rear. Its central section houses frost-proof fresh and grey water tanks.

4 With a floor space 132 x 86/67 cm (52 x 35.4/31.5 in) the sanitary compartment provides more than enough space. The shower is separated by a three-piece sliding door from the remaining sink/toilet area. The latter boasts an elegant, enamelled steel sink, high quality fittings and a Thetford cassette toilet. Coated shelves and cabinets in colour translate into lots of storage space and easy maintenance.

5 Between bathroom and rear settee there is a half-height cabinet with shelves that can be used as TV support. Above, the control panel is located at a height that ensures easy access.

6 The comfortable U-shaped rear settee perfectly conveys the German concept of "Gemütlichkeit" (comfort and cosiness). By lowering the auto lifting table the settee converts into a sleeping surface of 120 x 207 cm (51.18 x 80.31 in) at a flick of the wrist.

7 The double flooring begins under kitchen and sanitary compartment and extends to the rear. Since the rear settee is placed on a high platform, this double floor configuration expands into a high stowage compartment. The lowering of the cabin floor in the rear creates a special "garage" for the safe stowage of bicycles. This storage compartment can be accessed via the wide rear liftgate or an additional side door.


8 A room partition with integrated spice rack separates the kitchen area from the rear settee. Spice rack

9 The generously dimensioned kitchen with a floor area of 113 x 55 cm (51.18 x 19.69 in) features plenty of work and storage space. The 2 burner cooker and the sink are both made from stainless steel. Beneath the work surface you will find four voluminous storage trays, a cutlery drawer and a 97 l fridge with freezer compartment.

10 Easy access to mobile living is ensured by an electrically powered double step which retracts automatically when starting the engine. An entrance light ensures safe footing at night.

11 The cabinet on the passenger seat extends right up to the overhead bay. Its lower section comprises a gas bottle compartment which opens to the exterior. Above, there are storage shelves.

12 The passage to the driver cab can be closed off by a curtain. Hanging lockers above the rear settee group and kitchen offer additional stowage space.



Overview of LB 355 on VW T5

The travel vehicle LB355 can be equipped with our quick-mount system, which enables quick and easy removal and mounting of the cabin.



Equipment

Windows	7 + 1 door window	Resolux lamps	4
Roof hatches	2	Halogen spots/lamps	6
Exterior storage compartment doors	4	Entry light	1
Fresh water	120 L	storage compartment lights	1
Waste water	80 L	12V socket	2
Gas bottle compartment	2 x 11 kg	Secondary battery	80 Ah
Gas regulator	Truma Secu Motion-Duo Comfort	Charge regulator	Tremat
Heating	Truma Combi 4	220V exterior inlet socket	CEE
Boiler	10.0 litres, integrated	220V interior sockets	3
Fridge	97 L	Fuse	Netzmatic with Fi
Toilet/Waste water tank	Cassette C403 L/19.3 L	Automatic charger	IUoU 16 A

Interior dimensions

Length without overhead bay	3430 mm
Width	2120 mm
Standing height max/min	1942 mm
Overhead bay headroom max.	830 mm
Inside height of double floor compartment	260/405 mm

Bed dimensions

Overhead bay	800 x 1980 mm
	800 x 2000 mm
Rear	1200 x 2070 mm

Base vehicle Volkswagen Transporter T5

Vehicle type	T5 cab with Alko-built chassis	
Engine type	TDI	BiTDI
Engine Power	103/140 kW/HP	132/180 kW/HP
Displacement	2000 cc	2000 cc
Tank volume	80 L	80 L
Wheel base	3580 / 3400 mm	3580/3400 mm
Turning circle	13,5 / 13,2m	13,5/13,2 m
Standard equipment	Airbags for driver and front passenger, stay mounted exterior mirrors, 17"-Tyre configuration, all-season tyres 215/60R17, driver and front passenger seats with armrests and adjustable height and lumbar support, heated washer nozzles warning triangle, first-aid kit	

Weights

Max. gross vehicle weight	3500 / 3500 kg	3500 / 3500 kg
Curb weight	3050 / 2940 kg	3050 / 2940 kg
Payload	450 / 560 kg	450 / 560 kg
Max. number of persons	2 (3 with double passenger in cab)	
Decrease of payload with quick mount system	-180 kg	
Towing capacity	On request	
Roof load	100 kg	

Exterior dimensions

Length	5995 mm
Width	2240 mm
Height	3120 mm
With quick-mount system	Length + 5 cm, Height + 5 cm

*incl. driver, full fuel tank, water and gas at 90% filling level, boiler full, cable drum.

Date: 08.2010

The right to changes in construction and equipment without prior notice is reserved. Some of the vehicles shown include special options which are only available at a surcharge. Please contact us for lists of standard equipment. Indications of dimensions, weights and performance are according to the best of our knowledge at time of printing. Deviations within +/- 5 % are possible and permissible.

bimobil

bimobil – von Liebe GmbH
 Aich 15 · D-85667 Oberpframmern
 Tel +49 (0)8106/99 69-0
 Fax +49 (0)8106/99 69-69
 www.bimobil.com · info@bimobil.com